

01.

항목설명

소스 코드, 예외 처리, 시스템 콜, API 함수 호출 등 오류가 발생한 경우 실행 환경, 개발 정보, 사용자 관련 데이터에 대한 민감한 정보를 포함하는 오류 메시지가 노출될 수 있다. PHP는 `display_errors` 설정이 Off로 설정된 경우 오류 메시지가 웹 페이지에 노출되지 않는다.

진단
기준

양호

display_errors 항목이 Off로 설정된 경우



취약

display_errors 항목이 On으로 설정된 경우

























display_errors = Off -> ☐

Notice: Undefined index: fr_date in /var/www/html/adm/excel_download.php on line 10

Notice: Undefined index: to_date in /var/www/html/adm/excel_download.php on line 16

Notice: Undefined index: sch_field in /var/www/html/adm/excel_download.php on line 30

Notice: Undefined index: sch_name in /var/www/html/adm/excel_download.php on line 35

Notice: Undefined index: cnt in /var/www/html/adm/excel_download.php on line 55

01. PHP conf file -> php.ini

02. display_errors = Off

01. PHP conf file -> php.ini

```
root@bookstack:/etc/php/8.3/cli# pwd
/etc/php/8.3/cli
root@bookstack:/etc/php/8.3/cli# ls -la
total 84
drwxr-xr-x 3 root root 4096 Aug 29 14:08 .
drwxr-xr-x 5 root root 4096 Aug 26 09:47 ..
drwxr-xr-x 2 root root 4096 Aug 26 09:48 conf.d
-rw-r--r-- 1 root root 73715 Aug 29 14:08 php.ini
root@bookstack:/etc/php/8.3/cli#
```

02. display_errors = Off

```
; Possible Values:  
; Off = Do not display any errors  
; stderr = Display errors to STDERR (affects only CGI/CLI binaries!)  
; On or stdout = Display errors to STDOUT  
; Default Value: On  
; Development Value: On  
; Production Value: Off  
; https://php.net/display-errors  
display_errors = Off  
  
; The display of errors which occur during PHP's startup sequence are handled  
; separately from display_errors. We strongly recommend you set this to 'off'  
; for production servers to avoid leaking configuration details.  
; Default Value: On  
; Development Value: On
```

Revision #5

Created 2025-08-29 23:11:47 UTC by minwoo

Updated 2025-09-02 12:02:09 UTC by minwoo